

研究成果の発表状況

学術論文 [英文]

原著

- 1) *Nakamura M, *Yamagishi M, *Ueno T, *Hara K, *Ishikawa S, Itoh T, *Hamanaka I, *Wakatsuki T, *Sugano T, *Kawai T, Kimura T. :Current treatment of ST elevation acute myocardial infarction in Japan:door-to-balloon time and total ischemic time from the J-AMI registry. *Cardiovasc Interv Ther.* Jan;28(1):30-36(2013)
- 2) *Daida H, *Miyachi K, *Ogawa H, *Yokoi H, *Matsumoto M, Kitakaze M, Kimura T, *Matsubara T, *Ikari Y, *Kimura K, *Tsukahara K, *Origasa H, Morino Y, *Tsutsui H, *Kobayashi M, *Isshiki T; PACIFIC investigators. : Management and two-year long-term clinical outcome of acute coronary syndrome in japan: Prevention of atherothrombotic incidents following ischemic coronary attack (pacific) registry. *Circ J.* 77(4):934-943(2013)
- 3) *Xiu J, *Choi SY, *Mintz GS, *Araki H, *Masuda N, Morino Y, *Sonoda S, *Tahk SJ, *Ochiai M, *Maehara A. : Three-dimensional intravascular ultrasound evaluation of carina and plaque shift at the distal left main coronary artery bifurcation after treatment with a one-stent cross-over technique. *Catheter Cardiovasc Interv.* Jun 1;81(7):1142-1149(2013)
- 4) *Kozuma K, *Kimura T, *Kadota K, *Suwa S, *Kimura K, *Iwabuchi M, *Kawai K, *Miyazawa A, *Kawamura M, *Nakao K, *Asano R, *Yamamoto T, *Suzuki N, *Aoki J, *Kyono H, *Nakazawa G, *Tanabe K, Morino Y, *Igarashi K. : Angiographic findings of everolimus-eluting as compared to sirolimus-eluting stents: angiographic sub-study from the Randomized Evaluation of Sirolimus-eluting versus Everolimus-eluting stent Trial (RESET). *Cardiovasc Interv Ther.* Oct;28(4):344-351(2013)
- 5) *Nozue T, *Yamamoto S, *Tohyama S, *Fukui K, *Umezawa S, *Onishi Y, *Kunishima T, *Sato A, *Nozato T, *Miyake S, *Takeyama Y, Morino Y, *Yamauchi T, *Muramatsu T, *Hibi K, *Terashima M, *Michishita I. : Effects of serum n-3 to n-6 polyunsaturated fatty acids ratios on coronary atherosclerosis in statin-treated patients with coronary artery disease. *Am J Cardiol.* Jan 1;111(1):6-11(2013)
- 6) *Torii S, *Ohta H, Morino Y, *Nakashima M, *Suzuki Y, *Murata S, *Sakuma Y, *Ikari Y, *Tamura T. : Successful endovascular treatment of rupture of mycotic left main coronary artery aneurysm. *Can J Cardiol.* Aug;29(8):1014.e7-9(2013)
- 7) *Nozue T, *Yamamoto S, *Tohyama S, *Fukui K, *Umezawa S, *Onishi Y, *Kunishima T, *Sato A, *Nozato T, *Miyake S, *Takeyama Y, Morino Y, *Yamauchi T, *Muramatsu T, *Hirano T, *Hibi K, *Terashima M, *Michishita I. : Impacts of age on coronary atherosclerosis and vascular response to statin therapy. *Heart Vessels.* Jul;29(4):456-463(2014)
- 8) *Nozue T, *Yamamoto S, *Tohyama S, *Fukui K, *Umezawa S, *Onishi Y, *Kunishima T, *Sato A, *Nozato T, *Miyake S, *Takeyama Y, Morino Y, *Yamauchi T, *Muramatsu T, *Hibi K, *Terashima M, *Michishita I; TRUTH Investigators. : Comparison of change in coronary atherosclerosis in patients with stable versus unstable angina pectoris receiving statin therapy (from the Treatment With Statin on Atheroma Regression Evaluated by Intravascular Ultrasound With Virtual Histology [TRUTH] study). *Am J Cardiol.* Apr 1;111(7):923-929(2013)
- 9) Ishisone T, Koeda Y, Tanaka F, Sato K, Nagano M, Nakamura M. : Comparison of utility of arterial stiffness parameters for predicting cardiovascular events in the general population. *Int Heart J.*54(3):160-5(2013)
- 10) Tanaka R, Yoshioka K, Muranaka K, Chiba T, Ueda T, Sasaki T, Fusazaki T, Ehara S. : Improved evaluation of calcified segments on coronary CT angiography: a feasibility study of coronary calcium subtraction. *Int J Cardiovasc Imaging.* Dec;29 Suppl 2:75-81(2013)
- 11) Nakamura M, Koeda Y, Tanaka F, Onoda T, Itai K, Ohsawa M, Tanno K, Sakata K, Omama S, Ishibashi Y, Makita S, Ohta M, Ogasawara K, Komatsu T, Okayama A. : Plasma B-type natriuretic peptide as a predictor of cardiovascular events in subjects with atrial fibrillation: a community-based study. *PLoS One.* Dec 2;8(12):e81243(2013)

- 12) Makita S, Abiko A, Nagai M, Yonezawa S, Koshiyama M, Ohta M, Nakamura M. : Influence of daily alcohol consumption on serum adiponectin levels in men. *Metabolism*. Mar62(3):411-416(2013)
- 13) Koeda C, Tashiro A, Itoh T, Okabayashi H, Nakamura M. : Mild renal dysfunction on admission is an important prognostic predictor in patients with infective endocarditis: a retrospective single-center study. *Intern Med*.52(10):1013-8(2013)
- 14) Komatsu T, Sato Y, Ozawa M, Kunugita F, Ueda H, Tachibana H, Morino Y, Nakamura M. : Relationship between CHADS2 score and efficacy of antiarrhythmic drug therapy in patients with paroxysmal atrial fibrillation. *Circ J*. 77(3):639-45(2013)
- 15) *Nakamura M, *Yamagishi M, *Ueno T, *Hara K, *Ishiwata S, Itoh T, *Hamanaka I, *Wakatsuki T, *Sugano T, *Kawai K, *Kimura T. : Current antiplatelet therapy for Japanese patients with ST elevation acute myocardial infarction: J-AMI registry. *Cardiovasc Interv Ther*. Apr;28(2):162-169(2013)
- 16) Komatsu T, Sato Y, Ozawa M, Kunugita F, Yoshizawa R, Morino Y, Nakamura M. : Comparison between CHADS2 and CHA2DS2-VASc score for risk stratification of ischemic stroke in Japanese patients with non-valvular paroxysmal atrial fibrillation not receiving anticoagulant therapy. *Int Heart J*. 55(2):119-125 (2014)
- 17) Satoh M, Tabuchi T, Itoh T, Nakamura M. : NLRP3 inflammasome activation in coronary artery disease: results from prospective and randomized study of treatment with atorvastatin or rosuvastatin. *Clin Sci (Lond)*. Feb126(3):233-41(2014)
- 18) Koeda Y, Itoh T, Fusazaki T, Nakamura M, Morino Y. : A unique stenosis in saphenous vein graft visualized by optical coherence tomography. *Heart Vessels*. Mar29(2):278-281(2014)
- 19) Matsushita N, Hirose M, Sanbe A, Kondo Y, Irie Y, Taira E. : Nicorandil improves electrical remodeling, leading to the prevention of electrically induced ventricular tachyarrhythmia in a mouse model of desmin-related cardiomyopathy. *Clin Exp Pharmacol Physiol*. Jan41(1):89-97(2014)
- 20) Natsuaki M, Kozuma K, Morimoto T, Kadota K, Muramatsu T, Nakagawa Y, Akasaka T, Igarashi K, Tanabe K, Morino Y, Ishikawa T, Nishikawa H, Awata M, Abe M, Okada H, Takatsu Y, Ogata N, Kimura K, Urasawa K, Tarutani Y, Shiode N, Kimura T; NEXT Investigators. : Biodegradable polymer biolimus-eluting stent versus durable polymer everolimus-eluting stent: a randomized, controlled, noninferiority trial. *J Am Coll Cardiol*. Jul 16;62(3):181-90. (2013)

症例報告

- 1) Itoh T, Koeda C, Mifune T, Komuro K, Fusazaki T, Endo H, Shimoda Y, Yoshioka K, Morino Y, Nakamura M. : Spontaneous healing of saccular type aneurysm with ventricular septal lacerations after blunt chest trauma. *Journal of Cardiology Cases*.7(5): e149-e152(2013)
- 2) Ishikawa Y, Itoh T, Fusazaki T, Komuro K, Nakajima S, Nakamura M, Morino Y. : Very late stent thrombosis after paclitaxel-eluting stent implantation with full neointimal tissue coverage visualized by optical coherence tomography. *Journal of Cardiology Cases*. 7(6): e168-e170(2013)
- 3) Suzuki Y, Nishiyama O, Sakai T, Niiyama M, Itoh T, Nakamura M. : Acute coronary syndrome caused by coronary vasospasms associated with Churg-Strauss syndrome: effects of betamethasone therapy. *Intern Med*. 53(7):717-720(2014)

学術論文 [和文]

原著

- 1) 小松隆, 佐藤嘉洋, 小澤真人, 梶田房紀, 芳沢礼佑, 中村元行 : 本邦における非弁膜症性発作性心房細動例の虚血性脳卒中および全身性塞栓症のリスク層別化 —CHADS2 ならびに CHA2DS2-VASc スコアとの比較—. *心電図*. 33(1) : 40-48(2013)
- 2) 松下尚子, 平英一, 弘瀬雅教, 阿南如子, 三部篤 : デスミン関連心筋症で誘発される心室性不整脈に対するニコランジルの改善作用メカニズム. *Therapeutic Research*. 34(3) : 293-295(2013)

総論

- 1) 阪本亮平, 森野禎浩: 非ST上昇型急性冠症候群に対する angiography のタイミング. 循環器内科.74(3): 270-277(2013)
- 2) 伊藤智範: 【循環器疾患患者の外来管理】 薬物治療 抗血小板・抗凝固薬(解説/特集). 循環器内科.73(3): 330-339(2013)
- 3) 蒔田真司, 房崎哲也: 岩手医科大学 内科学講座 心血管・腎・内分泌内科/循環器内科 分野 教室紹介 200. 血圧. 20(12): 1254-1255 (2013)
- 4) 木村琢巳, 森野禎浩: 冠動脈イメージング・IVUS・OCT・血管内視鏡 b.冠動脈グレースケール IVUS: エビデンスに基づくインターベンション戦略. Heart View. 17(12):229-235(2013)

症例報告

- 1) 芳沢礼佑, 齊藤秀典, 土岐祐介, 松下尚子, 西澤健吾, 織笠俊樹, 盛川宗孝, 八子多賀志, 佐藤衛: たこつぼ心筋症が合併した肥大型心筋症の1例. 心臓. 46(2): 230 -236(2014)
- 2) 肥田 親彦, 伊藤 智範, 瀬川 利恵, 後藤 巖, 小室 堅太郎, 石川 有, 菅原 正磨, 松井 宏樹, 長沼 雄二郎, 房崎 哲也, 中村 元行: 重症急性循環不全を合併した甲状腺クリーゼの1救命例. 日本心臓病学会誌. 8(2): 127-130(2013)